

Employee Locator

query by phone number

Name STARKS WILBERT L								
Employee No 75023								
Organization P/2129 -- GROUP ART UNIT 2129								
Email wilbert.starks@uspto.gov								
System Login Id wstarks								
Primary	Bldg	Floor	Suite	Corr.	Room	Zone	Planned Move	Status
*	RND	05		A	35			Current
CONTACT NUMBER								
Primary	Type	Number			Ext	Planned Move	Status	
*	Telephone	(571)272-3691					Current	

To correct or add information displayed click here

Enter the Employee's Phone Number and/or Extension as follows:

- The Contact Number including the area code, or at least the **last few digits** of the Phone Number **and/or**,
- The **complete** Extension.

Contact Number:

Extension:

Search

Clear



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **inference engine rank website job**

Found 11,381 of 160,172

Sort results by

Display results

[Save results to a Binder](#)[Search Tips](#)

Open results in a new window

[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1 [Information retrieval on the web](#)**

Mei Kobayashi, Koichi Takeda

June 2000 **ACM Computing Surveys (CSUR)**, Volume 32 Issue 2Full text available:  pdf(213.89 KB)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper we review studies of the growth of the Internet and technologies that are useful for information search and retrieval on the Web. We present data on the Internet from several different sources, e.g., current as well as projected number of users, hosts, and Web sites. Although numerical figures vary, overall trends cited by the sources are consistent and point to exponential growth in the past and in the coming decade. Hence it is not surprising that about 85% of Internet user ...

Keywords: Internet, World Wide Web, clustering, indexing, information retrieval, knowledge management, search engine

2 [Models for metasearch](#)

Javed A. Aslam, Mark Montague


 September 2001 **Proceedings of the 24th annual international ACM SIGIR conference on Research and development in information retrieval**
Full text available:  pdf(181.33 KB)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Given the ranked lists of documents returned by multiple search engines in response to a given query, the problem of metasearch is to combine these lists in a way which optimizes the performance of the combination. This paper makes three contributions to the problem of metasearch: (1) We describe and investigate a metasearch model based on an optimal democratic voting procedure, the Borda Count; (2) we describe and investigate a metasearch model based on Bayesian inference; ...

3 [Challenges in information retrieval and language modeling: report of a workshop held at the center for intelligent information retrieval, University of Massachusetts Amherst, September 2002](#)

James Allan, Jay Aslam, Nicholas Belkin, Chris Buckley, Jamie Callan, Bruce Croft, Sue Dumais, Norbert Fuhr, Donna Harman, David J. Harper, Djoerd Hiemstra, Thomas Hofmann, Eduard Hovy, Wessel Kraaij, John Lafferty, Victor Lavrenko, David Lewis, Liz Liddy, R. Manmatha, Andrew McCallum, Jay Ponte, John Prager, Dragomir Radev, Philip Resnik, Stephen Robertson, Roni Rosenfeld, Salim Roukos, Mark Sanderson, Rich Schwartz, Amit Singhal, Alan Smeaton, Howard Turtle, Ellen Voorhees, Ralph Weischedel, Jinxi Xu, ChengXiang Zhai

April 2003 **ACM SIGIR Forum**, Volume 37 Issue 1

Full text available:  pdf(1.60 MB)Additional Information: [full citation](#), [citations](#), [index terms](#), [review](#)

4 Learning classifiers: Using urls and table layout for web classification tasks

L. K. Shih, D. R. Karger


May 2004 **Proceedings of the 13th international conference on World Wide Web**Full text available:  pdf(357.43 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We propose new features and algorithms for automating Web-page classification tasks such as content recommendation and ad blocking. We show that the automated classification of Web pages can be much improved if, instead of looking at their textual content, we consider each link's URL and the visual placement of those links on a referring page. These features are unusual: rather than being scalar measurements like word counts they are *tree structured*---describing the position of the item ...

Keywords: classification, news recommendation, tree structures, web applications

5 Web technologies and applications (WTA): Automatic learning of text-to-concept mappings exploiting WordNet-like lexical networks

Dario Bonino, Fulvio Corno, Federico Pescarmona


March 2005 **Proceedings of the 2005 ACM symposium on Applied computing**Full text available:  pdf(82.70 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A great jump towards the advent of the Semantic Web will take place when a critical mass of web resources is available for use in a semantic way. This goal can be reached by the creation of semantic meta-data in the publication workflow, or by the development of systems and applications able to associate semantics to resources (i.e., annotating them) automatically. Those applications should analyze the content of a web page and should be able to associate some ontology classes to it. One particu ...

Keywords: WordNet, semantic indexing, semantic web, synset

6 Special issue: AI in engineering

D. Sriram, R. Joobhani

January 1985 **ACM SIGART Bulletin**, Issue 91Full text available:  pdf(8.79 MB)Additional Information: [full citation](#), [abstract](#)

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

7 Rank aggregation methods for the Web


Cynthia Dwork, Ravi Kumar, Moni Naor, D. Sivakumar

April 2001 **Proceedings of the 10th international conference on World Wide Web**Full text available:  pdf(288.25 KB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: metasearch, multi-word queries, rank aggregation, ranking functions, spam

8 A form-based approach for database analysis and design

Joobin Choobineh, Michael V. Mannino, Veronica P. Tseng

February 1992 **Communications of the ACM**, Volume 35 Issue 2Full text available:  pdf(8.75 MB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

Keywords: form processing, view definition, view integration

9 Semantic web applications: A hybrid approach for searching in the semantic web

Cristiano Rocha, Daniel Schwabe, Marcus Poggi Aragao

May 2004 **Proceedings of the 13th international conference on World Wide Web**

Full text available:  pdf(713.16 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a search architecture that combines classical search techniques with spread activation techniques applied to a semantic model of a given domain. Given an ontology, weights are assigned to links based on certain properties of the ontology, so that they measure the strength of the relation. Spread activation techniques are used to find related concepts in the ontology given an initial set of concepts and corresponding initial activation values. These initial values are obtained ...

Keywords: network analysis, ontologies, semantic associations, semantic search, semantic web, spread activation algorithms

10 KM-4 (knowledge management): distributed knowledge management: Swoogle: a search and metadata engine for the semantic web

Li Ding, Tim Finin, Anupam Joshi, Rong Pan, R. Scott Cost, Yun Peng, Pavan Reddivari, Vishal Doshi, Joel Sachs

November 2004 **Proceedings of the thirteenth ACM conference on Information and knowledge management**

Full text available:  pdf(399.50 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


Swoogle is a crawler-based indexing and retrieval system for the Semantic Web. It extracts metadata for each discovered document, and computes relations between documents. Discovered documents are also indexed by an information retrieval system which can use either character N-Gram or URIs as keywords to find relevant documents and to compute the similarity among a set of documents. One of the interesting properties we compute is *<i>ontology rank</i>*, a measure of the importance of ...

Keywords: crawler, metadata, rank, search, semantic web

11 GLOSS: text-source discovery over the Internet

Luis Gravano, Héctor García-Molina, Anthony Tomasic

June 1999 **ACM Transactions on Database Systems (TODS)**, Volume 24 Issue 2

Full text available:  pdf(230.37 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


The dramatic growth of the Internet has created a new problem for users: location of the relevant sources of documents. This article presents a framework for (and experimentally analyzes a solution to) this problem, which we call the text-source discovery problem. Our approach consists of two phases. First, each text source exports its contents to a centralized service. Second, users present queries to the service, which returns an ordered list of promising text sources. T ...

Keywords: Internet search and retrieval, digital libraries, distributed information retrieval, text databases

12 Data integration using similarity joins and a word-based information representation language

William W. Cohen

July 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 3


Full text available:  [pdf\(312.80 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The integration of distributed, heterogeneous databases, such as those available on the World Wide Web, poses many problems. Here we consider the problem of integrating data from sources that lack common object identifiers. A solution to this problem is proposed for databases that contain informal, natural-language "names" for objects; most Web-based databases satisfy this requirement, since they usually present their information to the end-user through a veneer of text. We discuss ...

13 [Comparing the performance of collection selection algorithms](#)

Allison L. Powell, James C. French

October 2003 **ACM Transactions on Information Systems (TOIS)**, Volume 21 Issue 4

Full text available:  [pdf\(668.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


The proliferation of online information resources increases the importance of effective and efficient information retrieval in a multicollection environment. Multicollection searching is cast in three parts: collection selection (also referred to as database selection), query processing and results merging. In this work, we focus our attention on the evaluation of the first step, collection selection. In this article, we present a detailed discussion of the methodology that we used to evaluate an ...

Keywords: Collection selection, database selection, distributed information retrieval, distributed text retrieval, metasearch engine, resource discovery, resource ranking, resource selection, server ranking, server selection, text retrieval

14 [Web: Building a web thesaurus from web link structure](#)

Zheng Chen, Shengping Liu, Liu Wenyin, Geguang Pu, Wei-Ying Ma

July 2003 **Proceedings of the 26th annual international ACM SIGIR conference on Research and development in information retrieval**

Full text available:  [pdf\(292.05 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Thesaurus has been widely used in many applications, including information retrieval, natural language processing, and question answering. In this paper, we propose a novel approach to automatically constructing a domain-specific thesaurus from the Web using link structure information. The proposed approach is able to identify new terms and reflect the latest relationship between terms as the Web evolves. First, a set of high quality and representative websites of a specific domain is selected. ...

Keywords: content structure, link analysis, query expansion, thesaurus

15 [The Berkeley UNIX consultant project](#)

Robert Wilensky, David N. Chin, Marc Luria, James Martin, James Mayfield, Dekai Wu

December 1988 **Computational Linguistics**, Volume 14 Issue 4


Full text available:  [pdf\(4.41 MB\)](#)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

UC (UNIX Consultant) is an intelligent, natural language interface that allows naive users to learn about the UNIX² operating system. UC was undertaken because the task was thought to be both a fertile domain for artificial intelligence (AI) research and a useful application of AI work in planning, reasoning, natural language processing, and knowledge representation. The current implementation of UC comprises the following components: a language analyzer, called ALANA, produces a repre ...

16 [Search and strategies in OPL](#)

Pascal Van Hentenryck, Laurent Perron, Jean-François Puget

October 2000 **ACM Transactions on Computational Logic (TOCL)**, Volume 1 Issue 2

Full text available:  [pdf\(169.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


OPL is a modeling language for mathematical programming and combinatorial optimization. It is the first language to combine high-level algebraic and set notations from mathematical modeling languages with a rich constraint language and the ability to specify search procedures and strategies that are the essence of constraint programming. This paper describes the facilities available in OPL to specify search procedures. It describes the abstractions of OPL to specify both the search tree (see ...)

Keywords: combinatorial optimization, constraint programming, modeling languages, search

17 Methods for information server selection

David Hawking, Paul Thistlewaite

January 1999 **ACM Transactions on Information Systems (TOIS)**, Volume 17 Issue 1

Full text available:  [pdf\(283.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The problem of using a broker to select a subset of available information servers in order to achieve a good trade-off between document retrieval effectiveness and cost is addressed. Server selection methods which are capable of operating in the absence of global information, and where servers have no knowledge of brokers, are investigated. A novel method using Lightweight Probe queries (LWP method) is compared with several methods based on data from past query processing, while Random and ...

Keywords: Lightweight Probe queries, information servers, network servers, server ranking, server selection, text retrieval

18 Learning to extract information from large domain-specific websites using sequential models

Sunita Sarawagi, V. G. Vinod Vydiswaran

December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2


Full text available:  [pdf\(204.98 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In this article we describe a novel information extraction task on the web and show how it can be solved effectively using the emerging conditional exponential models. The task involves learning to find specific goal pages on large domain-specific websites. An example of such a task is to find computer science publications starting from university root pages. We encode this as a sequential labeling problem solved using Conditional Random Fields (CRFs). These models enable us to exploit a wide variety of ...

19 Tools for integrating and querying web information: OntoKhoj: a semantic web portal for ontology searching, ranking and classification

Chintan Patel, Kaustubh Supekar, Yugyung Lee, E. K. Park

November 2003 **Proceedings of the 5th ACM international workshop on Web information and data management**

Full text available:  [pdf\(80.44 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The goal of the next generation Web is to build virtual communities, wherein software agents and people can work in cooperation by sharing knowledge. To achieve this goal, the emerging Semantic Web community has proposed ontologies to express knowledge in a machine understandable way. The process of building and maintaining ontologies, which is known as Ontology Engineering, presents unique challenges. These challenges are related to lack of trustworthy and authoritative knowledge sources and ab ...

Keywords: classification, ranking, searching, semantic web

**20** Special issue: Game-playing programs: theory and practice

M. A. Bramer

April 1972 **ACM SIGART Bulletin**, Issue 80Full text available:  [pdf\(9.23 MB\)](#) Additional Information: [full citation](#), [abstract](#)

This collection of articles has been brought together to provide SIGART members with an overview of Artificial Intelligence approaches to constructing game-playing programs. Papers on both theory and practice are included.

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Advanced Web Search

Build a query with...

all of these words:

this exact phrase:

any of these words:

and none of these words

SEARCH: ☒ Worldwide ☐ USA RESULTS IN: ☒ All languages ☐ English, Spanish

AltaVista found 10 results

WALKING ROBOTS

... FLIE, C-FLIE and FUN: Fuzzy Logic **Inference Engine**. areas/fuzzy/systems/flie/ FLIE (Fuzzy Logic ... walking robot. me. friends' **websites**. 2001/teltubbies. union... WARS - Links ...

www.ee.pdx.edu/~mperkows/CLUBS/walking-robots.html

[More pages from ee.pdx.edu](#)

www.tricare.osd.mil/hcr/downloads/00046a.doc

... web-based **inference engine** that has been enhanced to accommodate a modularized breast cancer knowledge base of over ... and to sections of other **websites** that apply to the user. ...

www.tricare.osd.mil/hcr/downloads/00046a.doc

[More pages from triccare.osd.mil](#)

www.cs.buffalo.edu/~rapaport/675w/news.txt

From rapaport@cse.buffalo.edu Wed Jan 19 09:25:39 EST 2000 Article: 1 of sunyab.cse.675 Path: acsu.buffalo.edu!rapaport From: rapaport@cse.buffalo.edu (William J. www.cs.buffalo.edu/~rapaport/675w/news.txt

[More pages from cs.buffalo.edu](#)

[1998] Therapy Planning as Constraint Satisfaction: A Computer-Based Antiretroviral Therapy Advisor for the ...

File type:PDF - [Download PDF Reader](#)

... Our knowledge sources included domain experts, journal articles, textbooks and **websites**. We modeled ... rules; a generic (i.e. domain-independent) **inference engine** that chained ...

www.amia.org/pubs/symposia/D005136.PDF

[More pages from amia.org](#)

Therapy Planning as Constraint Satisfaction: A Computer-Based

File type:PDF - [Download PDF Reader](#)

... Our knowledge sources included domain experts, journal articles, textbooks and **websites**. We modeled ... rules; a generic (i.e. domain-independent) **inference engine** that chained ...

smi-web.stanford.edu/pubs/SMI_Reports/SMI-98-0733.pdf

[More pages from smi-web.stanford.edu](#)

DASC 98

... survey was posted at several popular aviation **websites**, including a general-interest web site that ... Ward, "A Neural-Network Based **Inference Engine** for a General Aviation Pilot ...

www.mit.edu/~jkkuchar/dasc98/dasc98.html

[More pages from mit.edu](#)

Linux Software for Scientists - C

Last checked or modified: Feb. 26, 1997. C ... fuzzy sets, fuzzy variables, fuzzy rules and inference engine), and a class for building interfaces for DEC's ezd ...
www-ocean.tamu.edu/~min/WEBSITES/linuxlist-c.html
More pages from www-ocean.tamu.edu

sern.ucalgary.ca/CAG/private/email/3c.html

... information is available from the following **websites**: Consciousness & Cognition:
<http://www.apnet.com/www> ... agents are generated by using the **inference engine**. * MPEG
agent is updated ...
sern.ucalgary.ca/CAG/private/email/3c.html
More pages from sern.ucalgary.ca

AIAA-98-4294

... survey was posted at several popular aviation **websites**, including a general-interest web site that ... Ward, "A Neural-Network Based **Inference Engine** for a General Aviation Pilot ...
www.mit.edu/~jkkuchar/gnc98/GNC98.html
More pages from mit.edu

Result Pages: 1[Back To Top](#)**Advanced Web Search**[Help](#)**⊙ Build a query with...**

all of these words:

this exact phrase:

any of these words:

and none of these words:

○ Search with...

this boolean expression

Use terms such as AND, OR, NOT
[More>>](#)

SEARCH: ☒ Worldwide ☐ USA **RESULTS IN:** ☒ All languages ☐ English, Spanish

Date: ☐ by timeframe:

☒ by date range:

File type:

Location ☒ by domain:

☐ By URL:

Display:

☐ site collapse (on/off) [What is this?](#)

results per page

Find

Clear Settings

Try your Search on Yahoo!

[Business Services](#) [Submit a Site](#) [About AltaVista](#) [Privacy Policy](#) [Help](#)

© 2005 Overture Services, Inc.

Advanced Web Search

Build a query with...

all of these words:	<input type="text" value="website"/>	<input type="button" value="FIND"/>
this exact phrase:	<input type="text" value="inference engine"/>	
any of these words:	<input type="text" value="rank rate criteria expert AI web site"/>	
and none of these words	<input type="text"/>	

SEARCH: ☒ Worldwide ☐ USA RESULTS IN: ☒ All languages ☐ English, Spanish

AltaVista found 23 results

[comp.lang.tcl Frequently Asked Questions \(December 15, 1998\) \(4/5\)](#)

... > Description: The first **site** has Tcl 7.6p2/Tk ... The second **site** has Tcl 7.6/Tk 4.2 as smit ... ports/> Description: This **site** is the accumulation point for ...
omicon.felk.cvut.cz/FAQ/articles/a3905.html
[More pages from omicon.felk.cvut.cz](#)

[Advanced Decision Systems Home Page](#)

Welcome to Advanced Decision Systems. Following is a brief summary of the lives and experiences of some of the folks who made ADS a great enterprise. ... Bayesian **inference engine** with ... **Expert Edge** was started by Edison Tse and David Lam (of Lam Research fame). EE had prototypes of a neat visual programming tool for encoding **AI** ...
www.bardel.com/ads1.html
[More pages from bardel.com](#)

[comp.lang.tcl FAQ part4](#)

One source for software mentioned in the catalog is the various Usenet or comp.lang.tcl article archives - in many cases, the authors posted their programs to the newsgroup.
www.ira.cnr.it/manuals/tcl/tcl-faq/part4.html
[More pages from ira.cnr.it](#)

www.cs.buffalo.edu/~rapaport/675w/news.txt

From rapaport@cse.buffalo.edu Wed Jan 19 09:25:39 EST 2000 Article: 1 of sunyab.cse.675 Path: acsu.buffalo.edu!rapaport From: rapaport@cse.buffalo.edu (William J.
www.cs.buffalo.edu/~rapaport/675w/news.txt
[More pages from cs.buffalo.edu](#)

[Artificial Intelligence and the Internet](#)

... based business situation. **AI**, more particularly **Expert Systems**, has been ... The **inference engine**, of an **expert** system, processes input ... to keep customer interest on a particular **website**. ...
www.it.murdoch.edu.au/~smr/honours/admin/info/KimsProposal.html
[More pages from it.murdoch.edu.au](#)

[Jackson Data Services: FAQ - E1](#)

Jackson Data Services frequently asked questions about computer and internet terms and terminology ... **expert** system. n. An application program that ... base and an **inference engine**, to form conclusions ... also artificial intelligence, **inference engine**, intelligent database, knowledge base ...
www.jacksondataservices.com/termse1.htm
[More pages from jacksondataservices.com](#)

[An Information Food Chain for Advanced Applications on the WWW](#)

File type:PDF - [Download PDF Reader](#)

... World Wide Web are growing at a tremendous **rate**. More and more ... Sahuguet 1999].
 Wrapper are **site**- specific software modules ... an agent needs **Inference Engine**. for the
 evaluation ...
www.aifb.uni-karlsruhe.de/WBS/sst/Research/Publications/WebDBFoodchain.pdf
[More pages from aifb.uni-karlsruhe.de](#)

Links

For a brief outline of our curriculum philosophy, click here. For a vast array of
 telecommunication links, click on any one of the following hyperlinks. ... Application of Queue
Inference Engine to Asynchronous Transfer Model ... Pacific Bell's **site** with ISDN
 information ... Oy Comptel Ab - **expert** in telecommunications software ...
www.atl.devry.edu/tcom/links.htm
[More pages from atl.devry.edu](#)

WALKING ROBOTS

REU **Site** at UNH. Intelligent Structures Group Research Experiences for Undergraduates
Site at the University of New Hampshire. Sponsored by the National Science... Mechanics -
 Annual Report 1998. Contents. Previous. Next. PUBLICATIONS.
www.ee.pdx.edu/~mperkows/CLUBS/walking-robots.html
[More pages from ee.pdx.edu](#)

Unit Profile

Unit Profile. Archives: This is NOT THE CURRENT course **web site**. This is the Autumn
 1999 course **web site**. To view the current **website** for this course, visit the Infocom
 Homepage, ... to the current listing of courses from that **site**. ... Fuzzy Rule Base and Fuzzy
Inference Engine. Fuzzifiers ...
www.infocom.cqu.edu.au/Units/aut99/94403/Fuzzy_Logic/Unit_Profile
[More pages from infocom.cqu.edu.au](#)

Result Pages: << Prev 1 2 3 Next >>

[Back To Top](#)

Advanced Web Search

[Help](#)

Build a query with...

all of these words:	<input type="text" value="website"/>	<input type="button" value="AND"/>
this exact phrase:	<input type="text" value="inference engine"/>	
any of these words:	<input type="text" value="rank rate criteria expert AI web site"/>	
and none of these words	<input type="text"/>	

Search with...

this boolean expression

Use terms such as AND, OR, NOT
[More>>](#)

SEARCH: ☒ Worldwide ☐ USA RESULTS IN: ☒ All languages ☐ English, Spanish

Date: ☐ by timeframe:

☒ by date range:

3 October 2000

File type:

Any format

Location

☒ by domain:

☐ By URL:

Display:

☐ site collapse (on/off) [What is this?](#)

10 results per page

FIND

Clear Settings

[Try your Search on Yahoo!](#)

[Business Services](#)

[Submit a Site](#)

[About AltaVista](#)

[Privacy Policy](#)

[Help](#)

© 2005 Overture Services, Inc.

Advanced Web Search**Build a query with...**

all of these words:	<input type="text" value="web sites job posting"/>	<input type="button" value="FIND"/>
this exact phrase:	<input type="text" value="inference engine"/>	
any of these words:	<input type="text" value="rank rate criteria"/>	
and none of these words	<input type="text"/>	

SEARCH: ☒ Worldwide ☐ USA **RESULTS IN:** ☒ All languages ☐ [English, Spanish](#)

AltaVista found 33 results

csg.lbl.gov/vxwexplo/vxwexplo/1993/archive9306

This is similar to what the Motorola >boot-roms do on startup. They check memory, CPU registers, addressing modes, exception processing >nvrn, and board 12v fuse states.

csg.lbl.gov/vxwexplo/vxwexplo/1993/archive9306[More pages from csg.lbl.gov](#)www.wu-wien.ac.at/usr/edvz/gonter/ftp/.scratch/security/Index

... Bourne shell history + tilde + **job** control + more (Part 1 ... volume03/infer infer - **inference engine** comp.sources.unix volume03 ... makefile for "malloc" **posting** (malloc.mk) comp.sources ...

www.wu-wien.ac.at/usr/edvz/gonter/ftp/.scratch/security/Index[More pages from wu-wien.ac.at](#)**Result Pages:** << [Prev](#) [1](#) [2](#) [3](#)[Back To Top](#)**Advanced Web Search**[Help](#)☒ **Build a query with...**

all of these words:	<input type="text" value="web sites job posting"/>	<input type="button" value="FIND"/>
this exact phrase:	<input type="text" value="inference engine"/>	
any of these words:	<input type="text" value="rank rate criteria"/>	
and none of these words	<input type="text"/>	

☐ **Search with...**

this boolean expression	<input type="text"/>
-------------------------	----------------------

Use terms such as AND, OR, NOT
[More>>](#)

SEARCH: ☒ Worldwide ☐ USA **RESULTS IN:** ☒ All languages ☐ [English, Spanish](#)
Date: ☐ by timeframe:
☒ by date range:

3 October 2000

File type:

Any format

Location

☒ by domain:

☐ By URL:

Display:

☐ site collapse (on/off) [What is this?](#)

10 results per page

FIND

Clear Settings

[Try your Search on Yahoo!](#)

[Business Services](#)

[Submit a Site](#)

[About AltaVista](#)

[Privacy Policy](#)

[Help](#)

© 2005 Overture Services, Inc.